Cote d'Ivoire

FP2030 Indicator Summary Sheet: 2023 Measurement Report

| Modern Cont | raceptive Us | se and Need | l . | | | | | S | Source : Family F | lanning Estimat | ion Tool (FPET) |
|--|------------------------|------------------|----------------------|-----------------|----------------------|-----------------|---|-----------|-------------------|-------------------|-----------------|
| 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
| Total users of I | modern method | ls of contracept | ion* | | | | | | | | |
| 790,000 | 850,000 | 900,000 | 980,000 | 1,080,000 | 1,190,000 | 1,260,000 | 1,340,000 | 1,420,000 | 1,510,000 | 1,610,000 | 1,710,000 |
| Modern contra | aceptive prevale | | | | | | | | | | |
| Modern contra 15.3% Percentage of | 16.0% women estimat | 16.5% | 17.4% | 18.7% | ds of contracen | 20.6% | 21.2% | 21.9% | 22.5% | 23.3% | 24.1% |
| | ı | I | 1 | I . | 1 | 1 | 22.22/ | 22.50/ | 24.00/ | 04.50/ | 24.40/ |
| 28.2% | 27.3% | 26.6% | 25.8% | 25.1% | 24.4% | 23.9% | 23.2% | 22.6% | 21.9% | 21.6% | 21.4% |
| _ | women estimat | I | ı | | I | | | | | | |
| 35.1% | 36.8% | 38.3% | 40.4% | 42.7% | 45.0% | 46.3% | 47.8% | 49.1% | 50.7% | 51.8% | 52.9% |
| 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
| | modern method | ls of contracept | ion | | | | | | | | |
| 390,000 | 420,000 | 440,000 | 490,000 | 550,000 | 610,000 | 670,000 | 720,000 | 770,000 | 830,000 | 890,000 | 960,000 |
| Modern contra | aceptive prevale | ence rate (mCP) | | | | | | | | | |
| 12.0/0 | 13.5% | 14.0% | 15.0% | 16.4% | 17.8% | 18.9% | 19.8% | 20.8% | 21.7% | 22.8% | 23.7% |
| Percentage of | women estimat | ed to have an u | nmet need for | modern metho | ds of contracep | tion (mUN) | | 1 | 1 | | |
| 32.1% | 31.5% | 31.1% | 30.4% | 29.8% | 29.2% | 28.5% | 27.6% | 26.7% | 25.6% | 25.4% | 25.2% |
| Percentage of | women estimat | ed to have their | demand for fa | mily planning m | et with a mode | rn method of co | ontraception (m | DS) | | | |
| 28.5% | 30.0% | 31.0% | 33.0% | 35.5% | 37.9% | 39.9% | 41.8% | 43.7% | 45.9% | 47.4% | 48.5% |
| 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
| _ Total users of | modern method | s of contracept | ion | | | | | | , | | |
| 400,000 | 420,000 | 450,000 | 480,000 | 520,000 | 570,000 | 590,000 | 620,000 | 640,000 | 670,000 | 710,000 | 740,000 |
| ō | aceptive prevale | , | , , | ,,,,,, | ,,,,,, | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | ,,,,,, | , ,,,,,, | ,,,,,, | ,,,,,, |
| 18.8% | 19.5% | 20.1% | 20.8% | 21.7% | 22.9% | 23.0% | 23.2% | 23.3% | 23.4% | 24.0% | 24.3% |
| | women estimat | ed to have an u | nmet need for | modern metho | ds of contracep | tion (mUN) | | | 1 | | |
| TO TO THE PERSON OF THE PERSON | 21.5% | 20.3% | 19.3% | 18.3% | 17.7% | 17.6% | 17.3% | 17.1% | 16.9% | 16.6% | 16.3% |
| 22.6% Percentage of | women estimat | ed to have their | । r demand for fa | mily planning m | i net with a mode | rn method of co | ntraception (m | DS) | 1 | | |
| 45.3% | 47.4% | 49.9% | 52.0% | 54.3% | 56.3% | 56.5% | 57.2% | 57.8% | 58.1% | 59.1% | 59.8% |
| | | | | | 1 | | | | ' | | |
| Impacts of M | odern Contr | aceptive Us | e among Al | i Women | | | | | | | |
| 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
| Number of uninte | nded pregnanci | es averted due | to modern cont | raceptive use | | | | | 1 | | |
| 290,000 | 310,000 | 330,000 | 360,000 | 400,000 | 440,000 | 470,000 | 500,000 | 530,000 | 560,000 | 600,000 | 640,000 |
| Number of unsafe | abortions aver | ted due to mode | ern contracepti | ve use | | | | | 1 | | |
| 106,000 | 114,000 | 120,000 | 131,000 | 145,000 | 160,000 | 170,000 | 180,000 | 191,000 | 203,000 | 216,000 | 230,000 |
| Number of matern | nal deaths avert | ed due to mode | ern contraceptiv | e use | | | | | | | |
| 760 | 810 | 860 | 930 | 1,000 | 1,100 | 1,200 | 1,200 | 1,300 | 1,400 | 1,500 | 1,600 |
| Couple Years of Pr | rotection (CYPs) | | | | | | | | Calculated fron | n routine service | provision data |
| Source | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 |
| DHIS2 | 674,336 | 746,410 | 813,855 | 960,508 | 1,190,366 | 1,171,878 | 1,248,485 | 1,734,698 | 1,792,887 | 2,280,836 | 2,833,423 |
| 511102 | 074,550 | 740,410 | 013,033 | 300,300 | 1,130,300 | 1,171,070 | 1,240,403 | 1,734,030 | 1,732,007 | 2,200,030 | 2,033,423 |
| Fertility Outco | omes | | | | | | | | | | |
| | | | | | | | | Va | lue | Sou | irce |
| Adolescent birth r | ate <i>(per 1000 w</i> | omen 15-19) | | | | | | | | 300 | |
| | | | | | | | | 9 | 96 | 2021 | . DHS |
| Percent of births t | hat are uninten | ded | | | | | | | 407 | | DUIC |
| | | | | | | | | 34 | 4% | 2021 | . DHS |
| 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2021 | 2021 |
| Estimated Numbe | r of Unintended | Pregnancies | | | | | • | | | | |
| 620,000 | 620,000 | 620,000 | 630,000 | 640,000 | 660,000 | 660,000 | 670,000 | 680,000 | 690,000 | 690,000 | 690,000 |
| | | | | | | | | | | | |

Contraceptive Use, Availability, and Discontinuation by Method

| Modern Contraceptive Method Mix | | | | | | | | | |
|---------------------------------|------------------------|-------|------------|--|--|--|--|--|--|
| Long-Acting | Sterilization (female) | 0.6% | Source | | | | | | |
| and | Sterilization (male) | 0.0% | 2021 DHS | | | | | | |
| Permanent | IUD | 1.7% | | | | | | | |
| Methods | Implant | 32.0% | | | | | | | |
| | Injectable | 27.4% | | | | | | | |
| | Pill | 28.0% | Population | | | | | | |
| Charl Tarre | Condom (Male) | 9.7% | Married | | | | | | |
| Short-Term Methods | Condom (Female) | 0.0% | Women | | | | | | |
| Wicthods | LAM | 0.6% | | | | | | | |
| | Standard Days method | 0.0% | | | | | | | |
| | Other Modern Methods | 0.0% | | | | | | | |

| Percentage of facilities stocked out, by method offered, on the day of | | | | | | | | |
|--|-------------------------|-----------------------------|-----------------------|--|--|--|--|--|
| | assessment | | | | | | | |
| Long-Acting | Sterilization (female) | terilization (female) 11.0% | | | | | | |
| and | Sterilization (male) | 71.0% | RAPPORT | | | | | |
| Permanent | IUD | 21.9% | ENSEA SR-PF | | | | | |
| Methods | Implant | 9.6% | — SUR — FINANCEMEN | | | | | |
| | Injectable | 26.0% | T UNFPA | | | | | |
| | Pill | 47.0% | Year | | | | | |
| Short-Term | Condom (Male) | 60.7% | 2020 | | | | | |
| Methods | Condom (Female) | 86.4% | | | | | | |
| | Emergency Contraception | 73.0% | | | | | | |
| | Other modern methods | n/a | | | | | | |

| | Value | Source | Year | | | | |
|--|-------------------|------------------|------|--|--|--|--|
| Percentage of primary SDPs that have at least 3 modern methods of contraception available on | day of assessment | | | | | | |
| | 90% | UNFPA SDP Survey | 2020 | | | | |
| Percentage of secondary/tertiary SDPs with at least 5 modern methods of contraception available on day of assessment | | | | | | | |
| | 62% | UNFPA SDP Survey | 2020 | | | | |

| Contraceptive Discontinuation Rates and Method Switching (first 12 months)** | | | | | | | | | |
|--|-----|---------|------------|------|------------------|---|--|--|--|
| | IUD | Implant | Injectable | Pill | Condom (male) | Source | | | |
| Discontinuation while in need | | | | | | Latest Discontinuation Data Forthcoming | | | |
| Discontinuation while not in need | | | | | | (2021 DHS) | | | |
| Total discontinuation (all reasons) | | | | | | | | | |
| Switching to a different method | | | | | | | | | |

Contraceptive Services and Decision-Making

| | Value | Source | Population | | | | | |
|--|-------------|----------|------------|--|--|--|--|--|
| Method Information Index** | | | | | | | | |
| | 29% | 2021 DHS | All Women | | | | | |
| Percentage of women who received family planning information during a contact with a health service provider ** | | | | | | | | |
| | | 2021 DHS | All Women | | | | | |
| Percent of current modern contraceptive users who last obtained their family planning method from each source (All Methods) ** | | | | | | | | |
| Public | 51% | | | | | | | |
| Private Medical | 38% | 2021 DHS | | | | | | |
| Other | 12% | | | | | | | |
| Percentage of women who decided to use family planning alone or jointly with their husbands/ | partners ** | | | | | | | |
| | 53% | 2021 DHS | | | | | | |

Investment in Family Planning

| | Value | Source | Year |
|--|-------|--------|------|
| Annual expenditure on family planning from government domestic budget (USD \$) | | | |
| | | | |

Traditional Contraceptive Use

Source : Family Planning Estimation Tool (FPET)

Traditional Contraceptive Use did not meet the reporting threshold (tCP among Married Women >5% in 2023) and so is not reported for this country.

| Traditional Contract the object the reporting threshold [ter among Married Women 2023] and so is not reported for this country. | | | | | | | | | | | |
|---|-----------------|------|------|------|------|------|------|------|------|------|------|
| 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
| All Women | | | | | | | | | | | |
| | | | | | | | | | | | |
| Married Women | | | | | | | | | | | |
| | | | | | | | | | | | |
| Unmarried Wome | Unmarried Women | | | | | | | | | | |
| | | | | | | | | | | | |

Notes

- --- indicates no data post 2012 was available
- * Total Users among Married Women and Unmarried Women will not sum exactly to the Total Users among All Women
- ** Additional diaggregation or details available in the full data set.

