Cabo Verde

FP2030 Indicator Summary Sheet: 2022 Measurement Report

M	lodern Contr	aceptive Use	and Need						Source : Family	y Planning Estima	tion Tool (FPET)
	2012	2013	2014 of contraception	2015	2016	2017	2018	2019	2020	2021	2022
٥	58,000	60,000	61,000	62,000	63,000	64,000	65,000	66,000	67,000	69,000	70,000
l e	Modern contrac	ceptive prevalen	ce rate (mCP)								
Women	41.1%	41.3%	41.4%	41.5%	41.6%	41.7%	41.8%	42.1%	42.4%	42.8%	43.2%
₹	Percentage of w	vomen estimated	d to have an unm	et need for mo	dern methods of	f contraception (mUN)				
	14.7%	14.8%	14.8%	14.7%	14.7%	14.5%	14.6% ethod of contrac	14.4%	14.3%	14.0%	14.0%
	73.5%	73.6%	73.8%	73.8%	73.8%	73.9%	74.1%	74.3%	74.7%	75.0%	75.6%
		1		l	I	I.	1	l	1	1	I
	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
=		1	of contraception	ı			1				1
ae	35,000	35,000	36,000	37,000	38,000	39,000	39,000	40,000	41,000	43,000	44,000
δ	Modern contrac	ceptive prevalen	ce rate (mCP)								
Married Women	56.6%	56.3%	55.9%	55.8%	55.6%	55.5%	55.4%	55.6%	56.1%	56.6%	57.1%
Ë	Percentage of w	vomen estimated	d to have an unm	net need for mo	dern methods of	f contraception (mUN)				,
Ma	18.7%	18.8%	18.7%	18.6%	18.5%	18.4%	18.3%	18.1%	17.8%	17.4%	16.9%
		vomen estimated	d to have their de	emand for family	, planning met w	vith a modern m	ethod of contrac	eption (mDS)			
	75.0%	74.9%	74.9%	75.1%	75.0%	75.0%	75.1%	75.5%	75.9%	76.4%	77.2%
	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
			of contraception								
en	ocal users of m	1		ı	25.000	25.000	25.000	25.000	35.000	26.000	26.000
Women	23,000	24,000 ceptive prevalen	24,000	24,000	25,000	25,000	25,000	25,000	25,000	26,000	26,000
		1	1		l	20.40/			20.50/	1 00 00/	
rie	29.5%	29.5%	29.7%	29.8%	dern methods of	30.4%	30.1%	30.4%	30.5%	30.6%	30.5%
nar	Percentage of w	1	d to have an unm	I	1	1	1			40 == 1	10
Unmarried	11.4%	11.3%	11.2%	11.2%	11.1%	11.0%	11.1%	10.9%	11.0%	10.8%	10.7%
	reiteillage of w	1	1	1	1	1	ethod of contrac		70 -01	70.504	72.004
	71.8%	72.3%	72.1%	72.3%	72.7%	72.8%	72.9%	73.3%	73.5%	73.6%	73.8%
In	npacts of Mo	dern Contra	ceptive Use	among All W	/omen						
	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
Nı	umber of uninten	1			l .						
	21,000	22,000	22,000	23.000	23,000	23,000	24,000	24,000	25,000	25,000	26,000
NI:	umber of unsafe a			-,		23,000	24,000	24,000	23,000	23,000	20,000
	7,700	1	8,000	8,200	8,300	0.400	0.500	0.700	0,000	0.100	0.200
Ni	ımber of materna	7,900	1	,		8,400	8,500	8,700	8,900	9,100	9,300
140	imper of materna -			-	- -	-	-	-	10	10	10
				I	I			I			I.
Со	uple Years of Pro	1	1			1	1		1	om routine servic	1
	Source	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
L											
Fe	ertility Outco	mes									
								Va	ılue	Sou	ırce
Ad	lolescent birth ra	ite (<i>per 1000 woi</i>	men 15-19)							1	
								-		-	
								•		•	
	rcent of births th	nat are unintende	ed								
	rcent of births th	nat are unintende	ed					-		-	
				2015	2016	2017	2019				ı
Pe	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
Pe		2013	2014	2015 8,800	2016 8,900	2017	2018				ı

Contraceptive Use, Availability, and Discontinuation by Method

Modern Contracep	tive Method Mix		
	Sterilization (female)	15.4%	Source
Long-Acting and Permanent	Sterilization (male)	0.2%	2018 DHS-RHS
Methods	IUD	3.8%	
	Implant	4.9%	
	Injectable	27.1%	
	Pill	38.2%	Population
Short-Term	Condom (Male)	9.9%	Married
Methods	Condom (Female)	0.0%	Women
ivietilous	LAM	0.0%	
	Standard Days method	0.0%	
	Other Modern Methods	0.5%	

assessment		
	Sterilization (female)	 Source
Long-Acting and Permanent	Sterilization (male)	
Methods	IUD	 _
Wicthous	Implant	 _
	Injectable	 _
	Pill	 _ Year
Short-Term	Condom (Male)	
Methods	Condom (Female)	 _
	Emergency Contraception	 _
	Other modern methods	 _

	Value	Source	Year				
Percentage of primary SDPs that have at least 3 modern methods of contraception available on day of	of assessment						
Percentage of secondary/tertiary SDPs with at least 5 modern methods of contraception available on day of assessment							

Contraceptive Discontinuation Rates and Method Switching (first 12 months)**									
	IUD	Implant	Injectable	Pill	Condom (male)	Source			
Discontinuation while in need									
Discontinuation while not in need									
Total discontinuation (all reasons)									
Switching to a different method									

Contraceptive Services and Decision-Making

	Value	Source	Population
Method Information Index**			
Percentage of women who received family planning information during a contact with a health servi-	ce provider **		
Percent of current modern contraceptive users who last obtained their family planning method from	each source (All Methods)		
Public			
Private Medical			
Other			
Percentage of women who decided to use family planning alone or jointly with their husbands/partn	ers		

Investment in Family Planning

	Value	Source	Year				
Annual expenditure on family planning from government domestic budget (USD \$)							

Traditional Contraceptive Use

Source : Family Planning Estimation Tool (FPET)

Traditional Contraceptive Use ala not meet the reporting threshold (ICP among Married Women >5% in 2022) and so is not reported for this country.										
2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
All Women										
Married Women	Married Women									
Unmarried Women										

Notes

- --- indicates no data post 2012 was available
- * Total Users among Married Women and Unmarried Women will not sum exactly to the Total Users among All Women
 ** Additional diaggregation or details available in the full data set.








Cabo Verde

FP2030 Country Fact Sheet - 2022

	Estimate for 2012	Estimate for 2022
Total Users of Modern Contraception	58,000	70,000
Modern Contraceptive Prevalence Rate (mCP)	41.1%	43.2%
Unmet Need for Modern Contraception (mUN)	14.7%	14.0%
Demand Satisfied for Modern Contraception (mDS)	73.5%	75.6%







Data recency: color indicates year of most recent data used to inform estimates

New: After 2017
Recent: 2012 to 2017
Old: Prior to 2012

Note: the population for all indicators is all women of reproductive age (15-49) unless otherwise noted.

