# Kiribati

FP2030 Indicator Summary Sheet: 2022 Measurement Report

	aceptive Use	and Necu						Source : Famil	y r ranning Estime	
2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
Total users of m	nodern methods	of contraception	n*	1						
4,300	4,500	4,800	5,000	5,200	5,400	5,600	5,800	6,000	6,200	6,300
	ceptive prevalen		2,711	, , , ,		7,111	7,111	7,111		.,
14.6%	15.1%	15.6%	16.1%	16.6%	17.2%	17.7%	18.1%	18.4%	18.7%	18.9%
	1	1	net need for mo	1			10.170	10.470	10.770	10.570
21.5%	21.3%	21.1%	20.8%	20.8%	20.6%	20.6%	20.5%	20.5%	20.3%	20.2%
	1	1	emand for family	1	1	1	l .	20.5%	20.3%	20.270
•	1					1		47.50/	47.00/	40.20/
40.5%	41.5%	42.5%	43.6%	44.5%	45.5%	46.3%	47.0%	47.5%	47.9%	48.2%
2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
	I	of contraception							1	
3,800	4,000	4,200	4,400	4,600	4,800	5,100	5,200	5,400	5,500	5,700
			4,400	4,000	4,600	3,100	3,200	3,400	3,300	3,700
	ceptive prevalen									
19.9%	20.6%	21.4%	22.2%	23.0%	23.7%	24.4%	24.9%	25.2%	25.7%	26.0%
•	1	ı	net need for mo	1	1		I	1	I	
31.3%	30.8%	30.5%	30.1%	29.8%	29.5%	29.1%	29.0%	28.9%	28.7%	28.6%
Percentage of w	vomen estimate	d to have their d	emand for family	y planning met w	vith a modern m	ethod of contrac	eption (mDS)	1	1	1
38.8%	39.9%	41.2%	42.3%	43.4%	44.6%	45.6%	46.3%	46.8%	47.2%	47.5%
	T	T	T		T				T	
2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
	I	of contraception	I	1	1	1	ı	1	1	ı
500	500	500	500	500	500	500	500	500	600	600
Modern contra	ceptive prevalen	ce rate (mCP)	,	,		,				
5.2%	5.2%	5.2%	5.2%	5.1%	5.1%	5.0%	5.1%	5.2%	5.3%	5.3%
Percentage of v	vomen estimate	d to have an unn	net need for mo	dern methods of	f contraception (	mUN)				
4.0%	4.0%	4.1%	4.2%	4.2%	4.3%	4.4%	4.4%	4.5%	4.4%	4.4%
Percentage of w	vomen estimate	d to have their d						•	•	1
		u to nave then u	emana for family	y planning met w	vith a modern m	ethod of contrac	eption (mDS)			
56.8%	56.4%	55.9%	55.5%	y planning met w 54.9%	vith a modern m	ethod of contrac 53.3%	53.6%	53.9%	54.5%	55.0%
	56.4%	55.9%	55.5%	54.9%	1	1		53.9%	54.5%	55.0%
	56.4%	55.9%	1	54.9%	1	1		53.9%	54.5%	55.0%
	56.4%	55.9%	55.5%	54.9%	1	1		53.9%	54.5%	55.0%
pacts of Mo	56.4% odern Contra 2013	55.9% ceptive Use	55.5% among All W	54.9% /omen 2016	54.1%	53.3%	53.6%			
pacts of Mo 2012 mber of uninten	56.4%  dern Contra  2013  ded pregnancies	ceptive Use 2014 s averted due to	55.5% among All W 2015 modern contract	/omen 2016 eptive use	2017	2018	2019	2020	2021	2022
2012 mber of uninten	56.4%  dern Contra  2013  ded pregnancies 1,800	55.9%  ceptive Use  2014 s averted due to 1,900	55.5%  among All W  2015  modern contract 1,900	54.9%  /omen  2016  eptive use  2,000	54.1%	53.3%	53.6%			
2012 mber of uninten 1,700 mber of unsafe a	56.4%  2013  ded pregnancies 1,800  abortions averte	55.9%  ceptive Use  2014 s averted due to 1,900 d due to modern	2015 modern contrace 1,900 n contraceptive u	54.9%  /omen  2016 eptive use  2,000 use	2017	2018 2,200	2019 2,300	<b>2020</b> 2,300	2021	2022
2012 mber of uninten 1,700 mber of unsafe a	2013 ded pregnancies 1,800 abortions averte	2014 s averted due to 1,900 d due to modern 800	2015 modern contrace 1,900 contraceptive u 900	54.9%   /omen   2016   eptive use   2,000   use   900	2017	2018	2019	2020	2021	2022
2012 mber of uninten 1,700 mber of unsafe a	2013 ded pregnancies 1,800 abortions averte	2014 s averted due to 1,900 d due to modern 800	2015 modern contrace 1,900 n contraceptive u	54.9%   /omen   2016   eptive use   2,000   use   900	2017	2018 2,200	2019 2,300	<b>2020</b> 2,300	2021	2022
2012 mber of uninten 1,700 mber of unsafe a 800 mber of materna	2013 ded pregnancies 1,800 abortions avertes 800 al deaths avertes	2014 s averted due to 1,900 d due to modern 800	2015 modern contrace 1,900 contraceptive u 900	54.9%   /omen   2016   eptive use   2,000   use   900	2017 2,100	2018 2,200	2019 2,300	<b>2020</b> 2,300	2021	2022
2012 mber of uninten 1,700 mber of unsafe a	2013 ded pregnancies 1,800 abortions avertes 800 al deaths avertes	2014 s averted due to 1,900 d due to modern 800	2015 modern contrace 1,900 contraceptive u 900	54.9%   /omen   2016   eptive use   2,000   use   900	2017 2,100	2018 2,200	2019 2,300	2020 2,300 1,100	2021	2022 2,500 1,100
2012 mber of uninten 1,700 mber of unsafe a 800 mber of materna	2013 ded pregnancies 1,800 abortions avertes 800 al deaths avertes	2014 s averted due to 1,900 d due to modern 800	2015 modern contrace 1,900 contraceptive u 900	54.9%   /omen   2016   eptive use   2,000   use   900	2017 2,100	2018 2,200	2019 2,300	2020 2,300 1,100	2021 2,400 1,100	2022 2,500 1,100
2012 mber of uninten 1,700 mber of unsafe a 800 mber of materna	2013 ded pregnancies 1,800 abortions averte 800 al deaths averte	55.9%  ceptive Use  2014 s averted due to 1,900 d due to modern 800 d due to modern -	2015 modern contrace 1,900 n contraceptive u 900 contraceptive u	54.9%   Z016   2016   2,000   2,000   900   900   se	2017 2,100 1,000	2018 2,200 1,000	2019 2,300 1,000	2020 2,300 1,100 - Calculated fr	2021   2,400   1,100   -	2022   2,500   1,100   -
2012 mber of uninten 1,700 mber of unsafe a 800 mber of materna - uple Years of Pro Source	2013 ded pregnancies 1,800 abortions avertes 800 al deaths avertes	2014 s averted due to 1,900 d due to modern 800 d due to modern -	2015 modern contrace 1,900 n contraceptive u 900 contraceptive u -	54.9%   2016   2016   2,000   2,000   900   se   -	2017 2,100 1,000 -	2018 2,200 1,000	2019 2,300 1,000	2020 2,300 1,100 - Calculated fr 2019	2021   2,400   1,100   -	2022   2,500   1,100   -   ce provision do   2021
2012 mber of uninten 1,700 mber of unsafe a 800 mber of materna	2013 ded pregnancies 1,800 abortions avertes 800 al deaths avertes	2014 s averted due to 1,900 d due to modern 800 d due to modern -	2015 modern contrace 1,900 n contraceptive u 900 contraceptive u -	54.9%   2016   2016   2,000   2,000   900   se   -	2017 2,100 1,000 -	2018 2,200 1,000	2019 2,300 1,000	2020 2,300 1,100 - Calculated fr 2019	2021   2,400   1,100   -	2022   2,500   1,100   -   ce provision do   2021
2012 mber of uninten 1,700 mber of unsafe a 800 mber of materna - uple Years of Pro Source	2013 ded pregnancies 1,800 abortions avertes 800 al deaths avertes	2014 s averted due to 1,900 d due to modern 800 d due to modern -	2015 modern contrace 1,900 n contraceptive u 900 contraceptive u -	54.9%   2016   2016   2,000   2,000   900   se   -	2017 2,100 1,000 -	2018 2,200 1,000	2019 2,300 1,000 - 2018	2020 2,300 1,100	2021   2,400   1,100   -   -   2020 	2022   2,500   1,100   -   ce provision da   2021 
2012 mber of uninten 1,700 mber of unsafe a 800 mber of materna - uple Years of Pro Source	2013 ded pregnancies 1,800 abortions avertes 800 al deaths avertes - cotection (CYPs) 2012	55.9%  ceptive Use  2014 s averted due to 1,900 d due to modern 800 d due to modern -  2013	2015 modern contrace 1,900 n contraceptive u 900 contraceptive u -	54.9%   2016   2016   2,000   2,000   900   se   -	2017 2,100 1,000 -	2018 2,200 1,000	2019 2,300 1,000 - 2018	2020 2,300 1,100 - Calculated fr 2019	2021   2,400   1,100   -   -   2020 	2022   2,500   1,100   -   ce provision do   2021
2012 mber of uninten 1,700 mber of unsafe a 800 mber of materna - uple Years of Pro Source	2013 ded pregnancies 1,800 abortions avertes 800 al deaths avertes	55.9%  ceptive Use  2014 s averted due to 1,900 d due to modern 800 d due to modern -  2013	2015 modern contrace 1,900 n contraceptive u 900 contraceptive u -	54.9%   2016   2016   2,000   2,000   900   se   -	2017 2,100 1,000 -	2018 2,200 1,000	2019 2,300 1,000 - 2018	2020 2,300 1,100	2021   2,400   1,100   - 	2022   2,500   1,100   -   ce provision da   2021 
2012 mber of uninten 1,700 mber of unsafe a 800 mber of materna - uple Years of Pro Source rtility Outco	2013 ded pregnancies 1,800 abortions averte 800 al deaths averte - Detection (CYPs) 2012 mes	55.9%  ceptive Use  2014 s averted due to 1,900 d due to modern 800 d due to modern -  2013	2015 modern contrace 1,900 n contraceptive u 900 contraceptive u -	54.9%   2016   2016   2,000   2,000   900   se   -	2017 2,100 1,000 -	2018 2,200 1,000	2019 2,300 1,000 - 2018	2020 2,300 1,100	2021   2,400   1,100   - 	2022   2,500   1,100   -   ce provision da   2021 
2012 mber of uninten 1,700 mber of unsafe a 800 mber of materna - uple Years of Pro Source rtility Outco	2013 ded pregnancies 1,800 abortions avertes 800 al deaths avertes - cotection (CYPs) 2012	55.9%  ceptive Use  2014 s averted due to 1,900 d due to modern 800 d due to modern -  2013	2015 modern contrace 1,900 n contraceptive u 900 contraceptive u -	54.9%   2016   2016   2,000   2,000   900   se   -	2017 2,100 1,000 -	2018 2,200 1,000	2019 2,300 1,000 - 2018	2020 2,300 1,100	2021   2,400   1,100   - 	2022   2,500   1,100 
2012 mber of uninten 1,700 mber of unsafe a 800 mber of materna - uple Years of Pro Source rtility Outco	2013 ded pregnancies 1,800 abortions averte 800 al deaths averte - Detection (CYPs) 2012 mes	55.9%  ceptive Use  2014 s averted due to 1,900 d due to modern 800 d due to modern -  2013	2015 modern contrace 1,900 n contraceptive u 900 contraceptive u -	54.9%   2016   2016   2,000   2,000   900   se   -	2017 2,100 1,000 -	2018 2,200 1,000	2019 2,300 1,000 2018	2020 2,300 1,100	2021   2,400   1,100   -   com routine service   2020 	2022   2,500   1,100 
2012 mber of uninten 1,700 mber of unsafe a 800 mber of materna - uple Years of Pro Source rtility Outco	2013 ded pregnancies 1,800 abortions avertes 800 al deaths avertes - Detection (CYPs) 2012 mes te (per 1000 woo	55.9%  ceptive Use  2014 s averted due to 1,900 d due to modern 800 d due to modern -  2013  men 15-19)	2015 modern contrace 1,900 n contraceptive u 900 contraceptive u -	54.9%   2016   2016   2,000   2,000   900   se   -	2017 2,100 1,000 -	2018 2,200 1,000 - 2017	2019 2,300 1,000 2018	2020  2,300  1,100	2021   2,400   1,100   -   com routine service   2020 	2022   2,500   1,100   -   ce provision do   2021 
2012 mber of uninten 1,700 mber of unsafe a 800 mber of materna - uple Years of Pro Source rtility Outco	2013 ded pregnancies 1,800 abortions averte 800 al deaths averte - Detection (CYPs) 2012 mes	55.9%  ceptive Use  2014 s averted due to 1,900 d due to modern 800 d due to modern -  2013	2015 modern contrace 1,900 n contraceptive u 900 contraceptive u -	54.9%   2016   2016   2,000   2,000   900   se   -	2017 2,100 1,000 -	2018 2,200 1,000	2019 2,300 1,000 2018	2020 2,300 1,100	2021   2,400   1,100   -   com routine service   2020 	2022   2,500   1,100   -   2021 
2012 mber of uninten 1,700 mber of unsafe a 800 mber of materna - uple Years of Pro Source rtility Outco	2013 ded pregnancies 1,800 abortions avertes 800 al deaths avertes - Detection (CYPs) 2012 mes te (per 1000 woo	55.9%  ceptive Use  2014 s averted due to 1,900 d due to modern 800 d due to modern -  2013  men 15-19) ed	2015 modern contrace 1,900 n contraceptive u 900 contraceptive u -	54.9%	2017 2,100 1,000 - 2016	2018 2,200 1,000 - 2017	2019 2,300 1,000 2018	2020  2,300  1,100	2021   2,400   1,100   -   com routine service   2020 	2022   2,500   1,100   -   2021 

### Contraceptive Use, Availability, and Discontinuation by Method

Modern Contraceptive Method Mix						
	Sterilization (female)	22.9%	Source			
Long-Acting and Permane	Sterilization (male)	0.8%	2018-2019			
Methods	IUD	2.8%	MICS			
	Implant	38.7%	_			
	Injectable	28.5%	_			
	Pill	3.3%	Population			
Short-Term	Condom (Male)	2.3%	All Women			
Snort-Term Methods	Condom (Female)	0.2%	_			
Wicthous	LAM	0.0%				
	Standard Days method	0.0%	_			
	Other Modern Methods	0.6%				

assessment		
	Sterilization (female)	 Source
Long-Acting and Permanent	Sterilization (male)	 
Methods	IUD	 _
Wicthous	Implant	 _
	Injectable	 _
	Pill	  Year
Short-Term	Condom (Male)	 
Methods	Condom (Female)	 _
	Emergency Contraception	 _
	Other modern methods	 _

	Value	Source	Year		
Percentage of primary SDPs that have at least 3 modern methods of contraception available on day of assessment					
Percentage of secondary/tertiary SDPs with at least 5 modern methods of contraception available on day of assessment					

Contraceptive Discontinuation Rates and Method Switching (first 12 months)**						
	IUD	Implant	Injectable	Pill	Condom (male)	Source
Discontinuation while in need						
Discontinuation while not in need						
Total discontinuation (all reasons)						
Switching to a different method						

### **Contraceptive Services and Decision-Making**

			I			
	Value	Source	Population			
Method Information Index**						
Percentage of women who received family planning information during a contact with a health service	ce provider **					
Percent of current modern contraceptive users who last obtained their family planning method from	each source (All Methods)					
Public						
Private Medical						
Other						
Percentage of women who decided to use family planning alone or jointly with their husbands/partners						

### Investment in Family Planning

	Value	Source	Year
Annual expenditure on family planning from government domestic budget (USD \$)			

### Traditional Contraceptive Use Source : Family Planning Estimation Tool (FPET) Traditional Contraceptive Use met the reporting threshold (tCP among Married Women > 5% in 2022). 2022 2012 2014 2020 2021 2013 2015 2016 2017 2018 2019 All Women 3.5% 3.2% 3.2% 3.3% 3.3% 3.4% 3.5% 3.6% 3.6% 3.6% 3.6% Married Women 4.8% 4.9% 5.0% 5.0% 5.1% 5.2% 5.3% 5.3% 5.2% 5.2% 5.1% Unmarried Women 0.3% 0.3% 0.4% 0.4% 0.4% 0.4% 0.2% 0.3% 0.3% 0.4% 0.4%

### Notes

- --- indicates no data post 2012 was available
- $^{*}\, \text{Total Users among Married Women and Unmarried Women will not sum exactly to the Total Users among All Women}$
- $\ensuremath{^{**}}$  Additional diaggregation or details available in the full data set.








## **Kiribati**

### FP2030 Country Fact Sheet - 2022

	Estimate for 2012	Estimate for 2022
Total Users of Modern Contraception	4,300	6,300
Modern Contraceptive Prevalence Rate (mCP)	14.6%	18.9%
Unmet Need for Modern Contraception (mUN)	21.5%	20.2%
Demand Satisfied for Modern Contraception (mDS)	40.5%	48.2%







Data recency: color indicates year of most recent data used to inform estimates

New : After 2017
Recent : 2012 to 2017
Old : Prior to 2012

Note: the population for all indicators is all women of reproductive age (15-49) unless otherwise noted.

